

CAT 2021 Slot 1 – Quantitative Ability



Click [“How to Prepare for Quant?”](#)

Click [“Video Solutions for 2021 CAT Quant”](#)

Click [“Textual Solutions for 2021 CAT Quant”](#)

Download the free pdf of [“CAT Syllabus”](#)

To Download ALL Original CAT Question Paper PDFs [Click here](#)

CAT 2021 Slot 2 – Quantitative Ability



“Click” Question Number to view question

Qn 1

Click to Signup as a trial user and get
40 hrs of free CAT coaching

online.2IIM.com

$f(x) = \frac{x^2+2x-15}{x^2-7x-18}$ is negative if and only if

- A) $-5 < x < -2$ or $3 < x < 9$
- B) $-2 < x < 3$ or $x > 9$
- C) $x < -5$ or $3 < x < 9$
- D) $x < -5$ or $-2 < x < 3$

Click to see the correct answer

Answer

Click to view video Solution
for this question

Video Solution

Click to practice and learn more CAT level
questions from 2IIM question bank

2IIM

For more CAT Level questions Click → Questions.2IIM.com

Original CAT 2021 Question Paper

Qn 2

The number of integers n that satisfy the inequalities $|n - 60| < |n - 100| < |n - 20|$ is

- A) 21
- B) 18
- C) 20
- D) 19

online.2IIM.com

Answer

Video Solution

Qn 3

Identical chocolate pieces are sold in boxes of two sizes, small and large. The large box is sold for twice the price of the small box. If the selling price per gram of chocolate in the large box is 12% less than that in the small box, then the percentage by which the weight of chocolate in the large box exceeds that in the small box is nearest to

- A) 127
- B) 135
- C) 124
- D) 144

Answer

Video Solution

Qn 4

Click to Signup as a trial user and get
40 hrs of free CAT coaching

online.2IIM.com

If $5 - \log_{10}\sqrt{1+x} + 4\log_{10}\sqrt{1-x} = \log_{10}\frac{1}{\sqrt{1-x^2}}$, then $100x$ equals

(TITA)

Click to see the correct answer

Answer

Click to view video Solution
for this question

Video Solution

Click to practice and learn more CAT level
questions from 2IIM question bank

2IIM

For more CAT Level questions Click → Questions.2IIM.com

Original CAT 2021 Question Paper

Qn 5

A basket of 2 apples, 4 oranges and 6 mangoes costs the same as a basket of 1 apple, 4 oranges and 8 mangoes, or a basket of 8 oranges and 7 mangoes. Then the number of mangoes in a basket of mangoes that has the same cost as the other baskets is

- A) 12
- B) 13
- C) 11
- D) 10

Answer

Video Solution

Qn 6

If the area of a regular hexagon is equal to the area of an equilateral triangle of side 12 cm, then the length, in cm, of each side of the hexagon is

- A) $4\sqrt{6}$
- B) $6\sqrt{6}$
- C) $2\sqrt{6}$
- D) $\sqrt{6}$

online.2IIM.com

Answer

Video Solution

Qn 7

Onion is sold for 5 consecutive months at the rate of Rs 10, 20, 25, 25, and 50 per kg, respectively. A family spends a fixed amount of money on onion for each of the first three months, and then spends half that amount on onion for each of the next two months. The average expense for onion, in rupees per kg, for the family over these 5 months is closest to

- A) 18
- B) 26
- C) 16
- D) 20

Answer

Video Solution

Qn 8

online.2IIM.com

If r is a constant such that $|x^2 - 4x - 13| = r$ has exactly three distinct real roots, then the value of r is

- A) 15
- B) 18
- C) 17
- D) 21

online.2IIM.com

Answer

Video Solution

Visit online.2IIM.com,

SIGN UP as a trial user, learn **40 Hours for free**

Visit - Questions.2IIM.com

Check out more than 1000+ CAT-Level Quant Questions for free (**without even signing-up**)

Qn 9

online.2IIM.com

Amal purchases some pens at ₹ 8 each. To sell these, he hires an employee at a fixed wage. He sells 100 of these pens at ₹ 12 each. If the remaining pens are sold at ₹ 11 each, then he makes a net profit of ₹ 300, while he makes a net loss of ₹ 300 if the remaining pens are sold at ₹ 9 each. The wage of the employee, in INR, is (TITA)

Answer

Video Solution

Qn 10

online.2IIM.com

Anil invests some money at a fixed rate of interest, compounded annually. If the interests accrued during the second and third year are ₹ 806.25 and ₹ 866.72, respectively, the interest accrued, in INR, during the fourth year is nearest to

- A) 931.72
- B) 926.84
- C) 929.48
- D) 934.65

Answer

Video Solution

Qn 11

online.2IIM.com

The strength of an indigo solution in percentage is equal to the amount of indigo in grams per 100 cc of water. Two 800 cc bottles are filled with indigo solutions of strengths 33% and 17%, respectively. A part of the solution from the first bottle is thrown away and replaced by an equal volume of the solution from the second bottle. If the strength of the indigo solution in the first bottle has now changed to 21% then the volume, in cc, of the solution left in the second bottle is (TITA)

Answer

Video Solution

Qn 12

online.2IIM.com

Amar, Akbar and Anthony are working on a project. Working together Amar and Akbar can complete the project in 1 year, Akbar and Anthony can complete in 16 months, Anthony and Amar can complete in 2 years. If the person who is neither the fastest nor the slowest works alone, the time in months he will take to complete the project is (TITA)

Answer

Video Solution

2IIM

For more CAT Level questions Click → [Questions.2IIM.com](https://www.questions2iim.com)

Original CAT 2021 Question Paper

Qn 13

online.2IIM.com

The number of groups of three or more distinct numbers that can be chosen from 1, 2, 3, 4, 5, 6, 7 and 8 so that the groups always include 3 and 5, while 7 and 8 are never included together is (TITA)

Answer

Video Solution

Qn 14

online.2IIM.com

A circle of diameter 8 inches is inscribed in a triangle ABC where $\angle ABC = 90^\circ$.
If BC = 10 inches then the area of the triangle in square inches is (TITA)

online.2IIM.com

Answer

Video Solution

Qn 15

online.2IIM.com

Suppose the length of each side of a regular hexagon ABCDEF is 2 cm. It T is the mid point of CD, then the length of AT, in cm, is

- A) $\sqrt{15}$
- B) $\sqrt{13}$
- C) $\sqrt{12}$
- D) $\sqrt{14}$

online.2IIM.com

Answer

Video Solution

Qn 16

online.2IIM.com

Suppose hospital A admitted 21 less Covid infected patients than hospital B, and all eventually recovered. The sum of recovery days for patients in hospitals A and B were 200 and 152, respectively. If the average recovery days for patients admitted in hospital A was 3 more than the average in hospital B then the number admitted in hospital A was (TITA)

Answer

Video Solution

Qn 17

online.2IIM.com

The amount Neeta and Geeta together earn in a day equals what Sita alone earns in 6 days. The amount Sita and Neeta together earn in a day equals what Geeta alone earns in 2 days. The ratio of the daily earnings of the one who earns the most to that of the one who earns the least is

- A) 7 : 3
- B) 11 : 3
- C) 11 : 7
- D) 3 : 2

Answer

Video Solution

Visit online.2IIM.com,

SIGN UP as a trial user, learn **40 Hours for free**

Visit - Questions.2IIM.com

Check out more than 1000+ CAT-Level Quant Questions for free (**without even signing-up**)

Qn 18

online.2IIM.com

The natural numbers are divided into groups as (1), (2, 3, 4), (5, 6, 7, 8, 9), and so on. Then, the sum of the numbers in the 15th group is equal to

- A) 6119
- B) 7471
- C) 4941
- D) 6090

Answer

Video Solution

Qn 19

online.2IIM.com

Anu, Vinu and Manu can complete a work alone in 15 days, 12 days and 20 days, respectively. Vinu works everyday. Anu works only on alternate days starting from the first day while Manu works only on alternate days starting from the second day. Then, the number of days needed to complete the work is

- A) 8
- B) 6
- C) 5
- D) 7

Answer

Video Solution

Qn 20

online.2IIM.com

How many three-digit numbers are greater than 100 and increase by 198 when the three digits are arranged in the reverse order? (TITA)

online.2IIM.com

Answer

Video Solution

Qn 21

Two trains cross each other in 14 seconds when running in opposite directions along parallel tracks. The faster train is 160 m long and crosses a lamp post in 12 seconds. If the speed of the other train is 6 km/hr less than the faster one, its length, in m, is

- A) 184
- B) 180
- C) 190
- D) 192

Answer

Video Solution

Qn 22

online.2IIM.com

If $x_0 = 1$, $x_1 = 2$, and $x_{n+2} = \frac{1+x_{n+1}}{x_n}$, $n = 0, 1, 2, 3, \dots$, then x_{2021} is equal to?

- A) 4
- B) 3
- C) 1
- D) 2

online.2IIM.com

Answer

Video Solution

Solution

Click to go "Back to Answer page"

- 1) A 11) 200 21) C
2) D 12) 32 22) D
3) A
4) 99
5) B
6) C
7) A
8) C
9) 1000
10) A
11) 200
12) 32
13) 47
14) 120
15) B
16) 35
17) B
18) A
19) D
20) 70
21) C
22) D

Sol 1

Click to see "overall Solution page"

online.2IIM.com

$f(x) = \frac{x^2+2x-15}{x^2-7x-18}$ is negative if and only if

A) $-5 < x < -2$ or $3 < x < 9$

B) $-2 < x < 3$ or $x > 9$

C) $x < -5$ or $3 < x < 9$

D) $x < -5$ or $-2 < x < 3$

Click to go "Back to Question"

Back to Question

Video Solution

Difficulty Level – Easy

Topic – **Functions**

Sol 2

online.2IIM.com

The number of integers n that satisfy the inequalities $|n - 60| < |n - 100| < |n - 20|$ is

- A) 21
- B) 18
- C) 20
- D) 19**

Difficulty Level – Easy

Topic – Inequalities

Back to Question

Video Solution

Sol 3

online.2IIM.com

Identical chocolate pieces are sold in boxes of two sizes, small and large. The large box is sold for twice the price of the small box. If the selling price per gram of chocolate in the large box is 12% less than that in the small box, then the percentage by which the weight of chocolate in the large box exceeds that in the small box is nearest to

- A) 127
- B) 135
- C) 124
- D) 144

Difficulty Level – Medium

Topic – Percentages

Back to Question

Video Solution

Visit online.2IIM.com,

SIGN UP as a trial user, learn **40 Hours for free**

Visit - Questions.2IIM.com

Check out more than 1000+ CAT-Level Quant Questions for free (**without even signing-up**)

Sol 4

online.2IIM.com

If $5 - \log_{10}\sqrt{1+x} + 4\log_{10}\sqrt{1-x} = \log_{10}\frac{1}{\sqrt{1-x^2}}$, then $100x$ equals
(TITA)

Correct Answer: **99**

Difficulty Level – **Hard**

Topic – **Logarithms**

Sol 5

online.2IIM.com

A basket of 2 apples, 4 oranges and 6 mangoes costs the same as a basket of 1 apple, 4 oranges and 8 mangoes, or a basket of 8 oranges and 7 mangoes. Then the number of mangoes in a basket of mangoes that has the same cost as the other baskets is

- A) 12
- B) 13**
- C) 11
- D) 10

Difficulty Level – Medium

Topic – Linear Equations

Back to Question

Video Solution

Sol 6

If the area of a regular hexagon is equal to the area of an equilateral triangle of side 12 cm, then the length, in cm, of each side of the hexagon is

- A) $4\sqrt{6}$
- B) $6\sqrt{6}$
- C) $2\sqrt{6}$**
- D) $\sqrt{6}$

Difficulty Level – Medium

Topic – Geometry

Sol 7

Onion is sold for 5 consecutive months at the rate of Rs 10, 20, 25, 25, and 50 per kg, respectively. A family spends a fixed amount of money on onion for each of the first three months, and then spends half that amount on onion for each of the next two months. The average expense for onion, in rupees per kg, for the family over these 5 months is closest to

- A) 18
- B) 26
- C) 16
- D) 20

Difficulty Level – Medium

Topic – Averages

Sol 8

online.2IIM.com

If r is a constant such that $|x^2 - 4x - 13| = r$ has exactly three distinct real roots, then the value of r is

- A) 15
- B) 18
- C) 17**
- D) 21

Difficulty Level – **Hard**

Topic – **Quadratic Equations**

Back to Question

Video Solution

Sol 9

online.2IIM.com

Amal purchases some pens at ₹ 8 each. To sell these, he hires an employee at a fixed wage. He sells 100 of these pens at ₹ 12 each. If the remaining pens are sold at ₹ 11 each, then he makes a net profit of ₹ 300, while he makes a net loss of ₹ 300 if the remaining pens are sold at ₹ 9 each. The wage of the employee, in INR, is

(TITA)

Correct Answer: **1000**

Difficulty Level – Medium

Topic – Profit & Loss

Back to Question

Video Solution

Sol 10

online.2IIM.com

Anil invests some money at a fixed rate of interest, compounded annually. If the interests accrued during the second and third year are ₹ 806.25 and ₹ 866.72, respectively, the interest accrued, in INR, during the fourth year is nearest to

- A) 931.72
- B) 926.84
- C) 929.48
- D) 934.65

Difficulty Level – Medium

Topic – CI & SI

Back to Question

Video Solution

Sol 11

online.2IIM.com

The strength of an indigo solution in percentage is equal to the amount of indigo in grams per 100 cc of water. Two 800 cc bottles are filled with indigo solutions of strengths 33% and 17%, respectively. A part of the solution from the first bottle is thrown away and replaced by an equal volume of the solution from the second bottle. If the strength of the indigo solution in the first bottle has now changed to 21% then the volume, in cc, of the solution left in the second bottle is (TITA)

Correct Answer: **200**

Difficulty Level – Easy

Topic – **Mixtures**

Back to Question

Video Solution

Sol 12

online.2IIM.com

Amar, Akbar and Anthony are working on a project. Working together Amar and Akbar can complete the project in 1 year, Akbar and Anthony can complete in 16 months, Anthony and Amar can complete in 2 years. If the person who is neither the fastest nor the slowest works alone, the time in months he will take to complete the project is (TITA)

Correct Answer: **32**

Difficulty Level – Medium

Topic – Rates & Work

Back to Question

Video Solution

Visit online.2IIM.com,

SIGN UP as a trial user, learn **40 Hours for free**

Visit - Questions.2IIM.com

Check out more than 1000+ Quant Questions at
CAT-Level for free (**without even signing-up**)

Sol 13

online.2IIM.com

The number of groups of three or more distinct numbers that can be chosen from 1, 2, 3, 4, 5, 6, 7 and 8 so that the groups always include 3 and 5, while 7 and 8 are never included together is (TITA)

Correct Answer: **47**

Difficulty Level – Medium

Topic – PnC

Back to Question

Video Solution

Sol 14

online.2IIM.com

A circle of diameter 8 inches is inscribed in a triangle ABC where $\angle ABC = 90^\circ$.
If BC = 10 inches then the area of the triangle in square inches is (TITA)

Correct Answer: **120**

Difficulty Level – Easy

Topic – **Geometry**

Back to Question

Video Solution

Sol 15

online.2IIM.com

Suppose the length of each side of a regular hexagon ABCDEF is 2 cm. If T is the mid point of CD, then the length of AT, in cm, is

- A) $\sqrt{15}$
- B) $\sqrt{13}$**
- C) $\sqrt{12}$
- D) $\sqrt{14}$

Difficulty Level – **Hard**

Topic – **Geometry**

Back to Question

Video Solution

Sol 16

online.2IIM.com

Suppose hospital A admitted 21 less Covid infected patients than hospital B, and all eventually recovered. The sum of recovery days for patients in hospitals A and B were 200 and 152, respectively. If the average recovery days for patients admitted in hospital A was 3 more than the average in hospital B then the number admitted in hospital A was (TITA)

Correct Answer: **35**

Difficulty Level – Medium

Topic – **Averages**

Back to Question

Video Solution

Sol 17

online.2IIM.com

The amount Neeta and Geeta together earn in a day equals what Sita alone earns in 6 days. The amount Sita and Neeta together earn in a day equals what Geeta alone earns in 2 days. The ratio of the daily earnings of the one who earns the most to that of the one who earns the least is

- A) 7 : 3
- B) 11 : 3**
- C) 11 : 7
- D) 3 : 2

Difficulty Level – Medium

Topic – Ratios & Proportions

Back to Question

Video Solution

Sol 18

online.2IIM.com

The natural numbers are divided into groups as (1), (2, 3, 4), (5, 6, 7, 8, 9), and so on. Then, the sum of the numbers in the 15th group is equal to

- A) 6119
- B) 7471
- C) 4941
- D) 6090

Difficulty Level –  Hard

Topic – Sequences & Series

Back to Question

Video Solution

Sol 19

online.2IIM.com

Anu, Vinu and Manu can complete a work alone in 15 days, 12 days and 20 days, respectively. Vinu works everyday. Anu works only on alternate days starting from the first day while Manu works only on alternate days starting from the second day. Then, the number of days needed to complete the work is

- A) 8
- B) 6
- C) 5
- D) 7**

Difficulty Level – Medium

Topic – Rates & Work

Back to Question

Video Solution

Sol 20

online.2IIM.com

How many three-digit numbers are greater than 100 and increase by 198 when the three digits are arranged in the reverse order? (TITA)

Correct Answer: **70**

online.2IIM.com

Difficulty Level – **Hard**

Topic – **Number Theory**

Back to Question

Video Solution

Sol 21

online.2IIM.com

Two trains cross each other in 14 seconds when running in opposite directions along parallel tracks. The faster train is 160 m long and crosses a lamp post in 12 seconds. If the speed of the other train is 6 km/hr less than the faster one, its length, in m, is

- A) 184
- B) 180
- C) 190**
- D) 192

Difficulty Level – Medium

Topic – Speed & Time

Back to Question

Video Solution

Sol 22

online.2IIM.com

If $x_0 = 1$, $x_1 = 2$, and $x_{n+2} = \frac{1+x_{n+1}}{x_n}$, $n = 0, 1, 2, 3, \dots$, then x_{2021} is equal to?

- A) 4
- B) 3
- C) 1
- D) 2**

Difficulty Level – **Medium**

Topic – **Sequences & Series**

Back to Question

Video Solution

Visit online.2IIM.com,

SIGN UP as a trial user, learn **40 Hours for free**

Visit - Questions.2IIM.com

Check out more than 1000+ Quant Questions at
CAT-Level for free (**without even signing-up**)